

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 06/11/2023 Version: 10.55

Generated : 06/11/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Trade name : TAN
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category : Professional use
Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Floor cleaner / floor polish

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

HYGENOL CLEANING SUPPLIES LTD
UNIT 5
PARKWAY BUS CENTRE
DEESIDE
CHESTER
CHESHIRE
CH5 2LD
UNITED KINGDOM

Tel: 01244 288 882 Fax: 01244 288 878 Email: info@hygenol.co.uk

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--|--|--------------------------------------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Serious eye damage/eye irritation, Category 1 H318
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS05

| | |
|--------------------------------|---|
| Signal word (CLP) | : Danger |
| Contains | : disodium metasilicate, 2-aminoethanol; ethanolamine, sodium hydroxide; caustic soda |
| Hazard statements (CLP) | : H314 - Causes severe skin burns and eye damage. |
| Precautionary statements (CLP) | : P264 - Wash hands thoroughly after handling. P280 - Wear eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 - Get immediate medical advice/attention. P405 - Store locked up. |

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-------|--|
| disodium metasilicate | CAS-No.: 6834-92-0 EC-No.: 229-912-9 EC Index-No.: 014-010-00-8 REACH-no: 01-2119449811-37 | 1 – 5 | Skin Corr. 1B, H314 STOT SE 3, H335 |
| tetrasodium ethylene diamine tetraacetate | CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762-27 | 1 – 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| 2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit | CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28 | 1 – 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1B, H314 |
| Sodium xylenesulphonate | CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350-56 | 1 – 5 | Eye Irrit. 2, H319 |
| sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB) | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27 | 1 – 5 | Skin Corr. 1A, H314 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: | | |
|--------------------------------|---|---|
| Name | Product identifier | Specific concentration limits |
| 2-aminoethanol; ethanolamine | CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28 | (5 ≤ C ≤ 100) STOT SE 3, H335 |
| sodium hydroxide; caustic soda | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27 | (0.5 ≤ C < 2) Skin Irrit. 2, H315 (0.5 ≤ C < 2) Eye Irrit. 2, H319 (2 ≤ C < 5) Skin Corr. 1B, H314 (5 ≤ C ≤ 100) Skin Corr. 1A, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Get medical advice/attention if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|-------------------------------------|
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : Burns. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|-------------------------------------|
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. |
|------------------------------|-------------------------------------|

5.2. Special hazards arising from the substance or mixture

| | |
|--|----------------------|
| Hazardous decomposition products in case of fire | : Corrosive vapours. |
|--|----------------------|

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

| | |
|----------------------|--|
| Protective equipment | : Use personal protective equipment as required. |
|----------------------|--|

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.
Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.
Storage conditions : Keep container closed when not in use.
Incompatible products : Oxidizing agent. Strong acids.
Incompatible materials : Metals.
Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| 2-aminoethanol; ethanolamine (141-43-5) | |
|--|---------------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | 2-Aminoethanol |
| IOEL TWA | 2.5 mg/m ³ |
| IOEL TWA [ppm] | 1 ppm |
| IOEL STEL | 7.6 mg/m ³ |
| IOEL STEL [ppm] | 3 ppm |
| Remark | Skin |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC |
| Ireland - Occupational Exposure Limits | |
| Local name | 2-Aminoethanol [Ethanolamine] |
| OEL TWA [1] | 2.5 mg/m ³ |
| OEL TWA [2] | 1 ppm |
| OEL STEL | 7.6 mg/m ³ |
| OEL STEL | 3 ppm |
| Regulatory reference | Chemical Agents Code of Practice 2020 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-aminoethanol; ethanolamine (141-43-5)**United Kingdom - Occupational Exposure Limits**

| | |
|---------------------------|---|
| Local name | 2-Aminoethanol |
| WEL TWA (OEL TWA) [1] | 2.5 mg/m ³ |
| WEL TWA (OEL TWA) [2] | 1 ppm |
| WEL STEL (OEL STEL) | 7.6 mg/m ³ |
| WEL STEL (OEL STEL) [ppm] | 3 ppm |
| Remark | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

sodium hydroxide; caustic soda (1310-73-2)**Ireland - Occupational Exposure Limits**

| | |
|------------|---------------------|
| Local name | Sodium hydroxide |
| OEL STEL | 2 mg/m ³ |

United Kingdom - Occupational Exposure Limits

| | |
|---------------------|---------------------|
| Local name | Sodium hydroxide |
| WEL STEL (OEL STEL) | 2 mg/m ³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls**8.2.1. Appropriate engineering controls**

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):

**8.2.2.1. Eye and face protection****Eye protection:**

Safety glasses. ISO 16321-1

8.2.2.2. Skin protection**Skin and body protection:**

Wear suitable protective clothing

Hand protection:

Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Nitrile rubber gloves

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other skin protection

Materials for protective clothing:

Safety boots. PICM008

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Colour | : red. |
| Appearance | : Liquid. |
| Odour | : odourless. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : ≥ 100 °C |
| Flammability | : Not available |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 13.1 |
| Viscosity, kinematic | : Not available |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 1.08 |
| Relative vapour density at 20°C | : Not available |
| Particle size | : Not applicable |
| Particle size distribution | : Not applicable |
| Particle shape | : Not applicable |
| Particle aspect ratio | : Not applicable |
| Particle aggregation state | : Not applicable |
| Particle agglomeration state | : Not applicable |
| Particle specific surface area | : Not applicable |
| Particle dustiness | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Metals. Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------------|--|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes severe skin burns. pH: 13.1 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 13.1 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |

disodium metasilicate

| | |
|------------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|------------------|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

Sodium xylenesulphonate (1300-72-7)

| | |
|------------------------------------|-----------------------|
| EC50 - Other aquatic organisms [1] | > 1020 mg/l waterflea |
|------------------------------------|-----------------------|

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sodium hydroxide; caustic soda (1310-73-2)

| | |
|------------------------------------|---------------------|
| LC50 - Fish [1] | > 35 mg/l |
| EC50 - Other aquatic organisms [1] | > 33 mg/l waterflea |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential**Sodium xylenesulphonate (1300-72-7)**

| | |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | -3.12 |
|---|-------|

sodium hydroxide; caustic soda (1310-73-2)

| | |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | -3.88 |
|---|-------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number or ID number

| | |
|---------------|-----------|
| UN-No. (ADR) | : UN 1760 |
| UN-No. (IMDG) | : UN 1760 |
| UN-No. (IATA) | : UN 1760 |

14.2. UN proper shipping name

| | |
|---------------------------------------|---|
| Proper Shipping Name (ADR) | : CORROSIVE LIQUID, N.O.S. |
| Proper Shipping Name (IMDG) | : CORROSIVE LIQUID, N.O.S. |
| Proper Shipping Name (IATA) | : Corrosive liquid, n.o.s. |
| Transport document description (ADR) | : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE), 8, III, (E) |
| Transport document description (IMDG) | : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM METASILICATE), 8, III |
| Transport document description (IATA) | : UN 1760 Corrosive liquid, n.o.s., 8, III |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
 Danger labels (ADR) : 8

**IMDG**

Transport hazard class(es) (IMDG) : 8
 Danger labels (IMDG) : 8

**IATA**

Transport hazard class(es) (IATA) : 8
 Danger labels (IATA) : 8



14.4. Packing group

Packing group (ADR) : III
 Packing group (IMDG) : III
 Packing group (IATA) : III


14.5. Environmental hazards

Dangerous for the environment : No
 Marine pollutant : No
 Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C9
 Special provisions (ADR) : 274
 Limited quantities (ADR) : 5I
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P001, IBC03, LP01, R001
 Mixed packing provisions (ADR) : MP19
 Portable tank and bulk container instructions (ADR) : T7
 Portable tank and bulk container special provisions (ADR) : TP1, TP28
 Tank code (ADR) : L4BN
 Vehicle for tank carriage : AT
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Hazard identification number (Kemler No.) : 80
 Orange plates :



Tunnel restriction code (ADR) : E
 EAC code : 2X

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

APP code : B

Transport by sea

Special provisions (IMDG) : 223, 274
 Limited quantities (IMDG) : 5 L
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T7
 Tank special provisions (IMDG) : TP1, TP28
 EmS-No. (Fire) : F-A
 EmS-No. (Spillage) : S-B
 Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y841
 PCA limited quantity max net quantity (IATA) : 1L
 PCA packing instructions (IATA) : 852
 PCA max net quantity (IATA) : 5L
 CAO packing instructions (IATA) : 856
 CAO max net quantity (IATA) : 60L
 Special provisions (IATA) : A3
 ERG code (IATA) : 8L

14.7. Maritime transport in bulk according to IMO instruments

IBC code : Not applicable.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU-Regulations**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)
 Contains no substance(s) listed on the REACH Candidate List
 Contains no substance(s) listed on REACH Annex XIV (Authorisation List)
 Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)
 Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)
 Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Detergent Regulation (648/2004/EC): Labelling of contents:

| Component | % |
|--|-----|
| EDTA and salts thereof, anionic surfactants, non-ionic surfactants | <5% |

15.1.2. National regulations**United Kingdom**

British National Regulations : Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

15.2. Chemical safety assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|----------------------------------|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | | |
|---------------|------|--------------------|
| Skin Corr. 1B | H314 | Calculation method |
| Eye Dam. 1 | H318 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.