



SAFETY DATA SHEET

5L SUPER PROFESSIONAL THICK BLEACH W3

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

| SECTION 1: Identification of t | the substance/mixture and of the company/undertaking | |
|---|--|--|
| 1.1. Product identifier | | |
| Product name | 5L SUPER PROFESSIONAL THICK BLEACH W3 | |
| Product number | 800-112-1104 W3 | |
| Container size | 5 litres | |
| UFI | UFI: DMS7-PSQW-MH7Y-C3R4 | |
| 1.2. Relevant identified uses | of the substance or mixture and uses advised against | |
| Identified uses | Cleaning agent. Disinfectant. | |
| Uses advised against | Use only for intended applications. Not for Oral Consumption. | |
| 1.3. Details of the supplier of | the safety data sheet | |
| Supplier | Mirius™ A Coventry Group Company Woodhams Road Siskin Drive Coventry CV3 4FX Coventry Chemicals (Ireland) Limited 4th Floor 8-34 Percy Place Dublin 4 Ireland Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com | |
| Contact person | For content of safety data sheet:, sds@mirius.com | |
| 1.4. Emergency telephone number | | |
| Emergency telephone | +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment) | |
| National emergency telephon number SECTION 2: Hazards identific | In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166) | |

2.1. Classification of the substance or mixture

| Classification (SI 2019 No. 720) | | |
|----------------------------------|---------------------|--|
| Physical hazards | Met. Corr. 1 - H290 | |

| Health hazards | Skin Corr. 1C - H314 Eye Dam. 1 - H318 |
|--|---|
| Environmental hazards | Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411 |
| 2.2. Label elements Hazard pictograms | |
| Signal word | Danger |
| Hazard statements | H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. |
| Precautionary statements | P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations. |
| Supplemental label information | EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine). |
| Contains | SODIUM HYPOCHLORITE, C12-14-ALKYL ETHER SULFATES |
| Biocide Labelling | This product contains substances with biocidal properties., Contains active substance: Sodium Hypochlorite, 4.37%, Read attached instructions before use. |
| Detergent labelling | < 5% anionic surfactants, < 5% chlorine-based bleaching agents, < 5% perfumes |
| Supplementary precautionary statements | P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P234 Keep only in original packaging. P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P391 Collect spillage. |

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended). This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| SODIUM HYPOCHLORITE | | 4.4% |
|---|---|------|
| CAS number: 7681-52-9 | EC number: 231-668-3 | |
| M factor (Acute) = 10 | M factor (Chronic) = 1 | |
| Classification | | |
| Ox. Liq. 2 - H272 | | |
| Met. Corr. 1 - H290 | | |
| Skin Corr. 1B - H314 | | |
| Eye Dam. 1 - H318 | | |
| Aquatic Acute 1 - H400 | | |
| Aquatic Chronic 1 - H410 | | |
| C12-14 ALKYL ETHER SULFATES | | 1-5% |
| CAS number: 68891-38-3 | EC number: 500-234-8 | |
| Classification | | |
| Skin Irrit. 2 - H315 | | |
| Eye Dam. 1 - H318 | | |
| Aquatic Chronic 3 - H412 | | |
| SODIUM HYDROXIDE | | <1% |
| CAS number: 1310-73-2 | EC number: 215-185-5 | |
| Classification | | |
| Met. Corr. 1 - H290 | | |
| Skin Corr. 1A - H314 | | |
| Eye Dam. 1 - H318 | | |
| The Full Text for all R-Phrases and Haz | ard Statements are Displayed in Section 16. | |
| SECTION 4: First aid measures | | |

4.1. Description of first aid measures

| 4.1. Description of first aid me | | |
|--|---|--|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues. Rinse nose and mouth with water. | |
| Ingestion | Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. | |
| Skin contact | Remove contaminated clothing. Get medical attention if irritation persists after washing. Rinse immediately with plenty of water. | |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel. Rinse immediately with plenty of water. | |
| 4.2. Most important symptoms and effects, both acute and delayed | | |
| Inhalation | The product is not believed to present a hazard due to its physical nature. Prolonged or repeated exposure may cause the following adverse effects: Irritation. | |
| Ingestion | This product is corrosive. May cause chemical burns in mouth and throat. May cause stomach pain or vomiting. | |

| Skin contact | Causes severe burns. Prolonged contact causes serious tissue damage. | |
|---|---|--|
| Eye contact | This product is corrosive. May cause chemical eye burns. Corneal damage. Severe irritation, burning, tearing and blurred vision. | |
| 4.3 Indication of any immediat | e medical attention and special treatment needed | |
| Notes for the doctor | No specific recommendations. If in doubt, get medical attention promptly. | |
| | · · · · · · · · · | |
| SECTION 5: Firefighting meas | uies | |
| 5.1. Extinguishing media | | |
| Suitable extinguishing media | The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder. | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | |
| 5.2. Special hazards arising fro | om the substance or mixture | |
| Specific hazards | Contact with acids liberates toxic gas. | |
| Hazardous combustion products | Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Chlorine. Hydrogen chloride (HCI). Oxides of carbon. | |
| 5.3. Advice for firefighters | | |
| Protective actions during firefighting | Control run-off water by containing and keeping it out of sewers and watercourses. | |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| SECTION 6: Accidental release | e measures | |
| 6.1. Personal precautions, prot | ective equipment and emergency procedures | |
| Personal precautions | Avoid contact with skin, eyes and clothing. For personal protection, see Section 8. | |
| 6.2. Environmental precautions | 6 | |
| Environmental precautions | Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground. | |
| 6.3. Methods and material for c | containment and cleaning up | |
| Methods for cleaning up | Stop leak if safe to do so. Flush away spillage with plenty of water. Absorb spillage with non- combustible, absorbent material. Do not discharge into drains or watercourses or onto the ground. Absorb in vermiculite, dry sand or earth and place into containers. Do not use sawdust or other combustible material. Provide adequate ventilation. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. | |
| 6.4. Reference to other sections | | |
| Reference to other sections | For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13. | |
| SECTION 7: Handling and storage | | |
| 7.1. Precautions for safe handl | ing | |
| Usage precautions | Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Avoid inhalation of vapours and spray/mists. Do not mix with acid. | |

| Advice on general occupational hygiene | Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Provide eyewash station. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin. |
|--|---|
| 7.2. Conditions for safe storage | e, including any incompatibilities |
| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from light. Store away from the following materials: Acids. Store at temperatures between 5°C and 25°C. Keep out of the reach of children. |
| 7.3. Specific end use(s) | |
| Specific end use(s) | The identified uses for this product are detailed in Section 1.2. |
| SECTION 8: Exposure controls | s/Personal protection |
| 8.1. Control parameters Occupational exposure limits SODIUM HYPOCHLORITE | |
| Short-term exposure limit (15-r | ninute): WEL 0.5 ppm 1.5 mg/m³ |
| SODIUM HYDROXIDE | |
| Short-term exposure limit (15-r WEL = Workplace Exposure Li | |
| | SODIUM HYPOCHLORITE (CAS: 7681-52-9) |
| DNEL | Industry - Inhalation; Long term local effects: 1.55 mg/m ³ Industry - Inhalation; Long term systemic effects: 1.55 mg/m ³ Industry - Inhalation; Short term local effects: 3.1 mg/m ³ Industry - Inhalation; Short term systemic effects: 3.1 mg/m ³ Consumer - Inhalation; Long term local effects: 1.55 mg/m ³ Consumer - Inhalation; Long term systemic effects: 1.55 mg/m ³ Consumer - Inhalation; Short term local effects: 3.1 mg/m ³ Consumer - Inhalation; Short term local effects: 3.1 mg/m ³ Consumer - Inhalation; Short term systemic effects: 3.1 mg/m ³ Consumer - Inhalation; Short term systemic effects: 3.1 mg/m ³ |
| PNEC | - Fresh water; 0.00021 mg/l - marine water; 0.000042 mg/l - Intermittent release; 0.00026 mg/l - STP; 4.69 mg/l - ; C12-14 ALKYL ETHER SULLEATES (CAS: 68891-38-3) |
| DNEL | C12-14 ALKYL ETHER SULFATES (CAS: 68891-38-3) Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m ³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day |

PNEC

- Fresh water; 0.24 mg/l
- marine water; 0.024 mg/l
- Intermittent release; 0.071 mg/l
- Sediment, Fresh water; 0.917 mg/kg
- Sediment, marine water; 0.092 mg/kg
- Soil; 7.5 mg/kg
- STP; 10,000 mg/l

SODIUM HYDROXIDE (CAS: 1310-73-2)

Industry - Inhalation; Long term local effects: 1.0 mg/m³ Consumer - Inhalation; Long term local effects: 1.0 mg/m³

DNEL

8.2. Exposure controls





Appropriate engineering

controls

controls

Provide adequate ventilation.

Eye/face protectionEyewear complying with an approved standard should be worn if a risk assessment indicates
eye contact is possible. Unless the assessment indicates a higher degree of protection is
required, the following protection should be worn: Tight-fitting safety glasses. Personal
protective equipment that provides appropriate eye and face protection should be worn.

Hand protectionChemical-resistant, impervious gloves complying with an approved standard should be worn if
a risk assessment indicates skin contact is possible. It is recommended that gloves are made
of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). To protect hands
from chemicals, wear gloves that are proven to be impervious to the chemical and resist
degradation. A break through time of >60 minutes is suggested. Gloves should be inspected
regularly for damage.

Other skin and bodyWear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skinprotectioncream to prevent drying of skin.

Hygiene measuresGood personal hygiene procedures should be implemented. Wash hands and any other
contaminated areas of the body with soap and water before leaving the work site. Use
appropriate skin cream to prevent drying of skin.

Respiratory protectionRespiratory protection not required.Environmental exposureAvoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical propertiesAppearanceViscous liquid.ColourYellow. Clear.OdourCitrus. Chlorine.Odour thresholdNot applicable.pHpH (concentrated solution): >11

Melting point No information available.

| Initial boiling point and range | Not determined. | |
|--|--|--|
| Flash point | This product does not sustain combustion. | |
| Evaporation rate | No information available. | |
| Evaporation factor | No information available. | |
| Flammability (solid, gas) | Not flammable. This product does not sustain combustion. | |
| Upper/lower flammability or explosive limits | The product is not flammable or explosive. | |
| Other flammability | Not applicable. | |
| Vapour pressure | No information available. | |
| Vapour density | No information available. | |
| Relative density | 1.070 typically @ 20°C | |
| Bulk density | Not applicable for liquid. | |
| Solubility(ies) | Soluble in water. | |
| Partition coefficient | Not technically possible for a mixture. | |
| Auto-ignition temperature | No information available. | |
| Decomposition Temperature | No information available. | |
| Viscosity | 300-450 cP @ 20°C | |
| Explosive properties | There are no chemical groups present in the product that are associated with explosive properties. | |
| Explosive under the influence of a flame | Not considered to be explosive. | |
| Oxidising properties | Does not meet the criteria for classification as oxidising. | |
| Comments | Information given is applicable to the product as supplied. | |
| 9.2. Other information | | |
| Other information | Not relevant. | |
| SECTION 10: Stability and rea | activity | |
| 10.1. Reactivity | | |
| Reactivity | The reactivity data for this product will be typical of those for the following class of materials: Acids. Alkalis. Oxidising materials. | |
| 10.2. Chemical stability | | |
| Stability | Decomposes over time. Factors that increase the rate of decomposition: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11and exposure to light. | |
| 10.3. Possibility of hazardous reactions | | |
| Possibility of hazardous reactions | Generates toxic gas in contact with acid. Chlorine. | |
| 10.4. Conditions to avoid | | |
| Conditions to avoid | Avoid exposure to high temperatures or direct sunlight. | |
| | | |

| 10.5. Incompatible materials | |
|---|--|
| Materials to avoid | Acids. Ammonia. Organic compounds. Some metals. Nickel. Iron. Copper. |
| 10.6. Hazardous decompositio | on products |
| Hazardous decomposition products | Chlorine. Hydrogen chloride (HCl). Oxides of the following substances: Chlorine. Hypochlorous acid. Sodium chlorate |
| SECTION 11: Toxicological int | formation |
| 11.1. Information on toxicologi | cal effects |
| Toxicological effects | Information given is based on data of the components and of similar products. |
| Other health effects | Does not contain any substances known to be carcinogenic. |
| Acute toxicity - oral Notes (oral LD∞) | Based on available data the classification criteria are not met. |
| Acute toxicity - dermal Notes (dermal LD ₅₀) | Based on available data the classification criteria are not met. |
| Acute toxicity - inhalation Notes (inhalation LC ₅₀) | Based on available data the classification criteria are not met. |
| Skin corrosion/irritation Skin corrosion/irritation | Corrosive to skin. |
| Serious eye damage/irritation Serious eye damage/irritation | Corrosivity to eyes is assumed. |
| Respiratory sensitisation Respiratory sensitisation | Not sensitising. Based on available data the classification criteria are not met. |
| Skin sensitisation Skin sensitisation | Not classified. Based on available data the classification criteria are not met. |
| Germ cell mutagenicity Genotoxicity - in vitro | Does not contain any substances known to be mutagenic. |
| Carcinogenicity Carcinogenicity | Does not contain any substances known to be carcinogenic. |
| Reproductive toxicity Reproductive toxicity - fertility | Does not contain any substances known to be toxic to reproduction. |
| Specific target organ toxicity - | single exposure |
| STOT - single exposure | Not classified as a specific target organ toxicant after a single exposure. |
| Specific target organ toxicity - STOT - repeated exposure | repeated exposure Not classified as a specific target organ toxicant after repeated exposure. |
| Inhalation | The product is considered to be a low hazard under normal conditions of use. Prolonged or repeated exposure may cause the following adverse effects: Irritation. |
| Ingestion | Small amounts may cause serious damage. May cause chemical burns in mouth, oesophagus and stomach. Stomach pain. Nausea, vomiting. Diarrhoea. |
| Skin contact | Causes severe skin burns and eye damage. Prolonged or repeated exposure may cause the following adverse effects: Dryness and/or cracking. Redness. Irritation. Chemical burns. |

| Eye contact | Causes severe skin burns and eye damage. May cause temporary eye irritation. May cause chemical eye burns. |
|--|--|
| <u>11.2 Information on other</u> <u>hazards</u> | |
| 11.2.1. Endocrine disrupting properties | This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605). |
| 11.2.2 Other information | None known |
| Toxicological information on ingredients. | |

SODIUM HYPOCHLORITE

| Acute toxicity oral (LDs, mg/kg) 8,910.0 Species Rat Votes (oral LDs) REACH dossier information. Acute toxicity - dermal 8,910.0 Acute toxicity - dermal 2,010.0 mg/kg) Rabbit Species Rabbit Acute toxicity dermal (LDs) Qonto.0 KRin corrosion/intritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/intritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/intritation Corrosivity to eyes is assumed. Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity Genotoxicity - in vhvo Rabot Rabot Respiratory sensitisation Not sensitising. Germ cell mutagenicity Respiratory sensitisation Germ cell mutagenicity Garonogolity - in vhvo Respoductive | | |
|--|------------------------------------|--|
| mg/kg) Rat Species Rat Notes (oral LDee) REACH dossier information. ATE oral (mg/kg) 8,910.0 Acute toxicity - dermal Acute toxicity - dermal Acute toxicity dermal (LDee) 2,001.0 Species Rabbit ATE dermal (mg/kg) 2,001.0 Skin corrosion/irritation 2,001.0 Skin corrosion/irritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Corrosivity to eyes is assumed. Bespiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity Based on available data the classification criteria are not met. Reproductive toxicity - in vivo Reserved on available data the classification criteria are not met. Reproductive toxicity Reserved on available data the classification criteria are not met. Reproductive toxicity ReACH dossier information. No evidence of reproductive toxicity in animal studies. | Acute toxicity - oral | |
| Notes (oral LD _w) REACH dossier information. ATE oral (mg/kg) 8,910.0 Acute toxicity - dermal | | 8,910.0 |
| ATE oral (mg/kg) 8,910.0 Acute toxicity - dermal Acute toxicity - dermal (LDso gravity) Acute toxicity dermal (LDso gravity) 2,001.0 mg/kg) Rabbit Species Rabbit ATE dermal (mg/kg) 2,001.0 Skin corrosion/irritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Corrosivity to eyes is assumed. Serious eye damage/irritation Corrosivity to eyes is assumed. Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - in vivo REACH dossier information. No evidence of reproductive toxicity in animal studies. fertility | Species | Rat |
| Acute toxicity - dermal Acute toxicity dermal (LD ₂₀ 2,001.0 mg/kg) Species Rabbit ATE dermal (mg/kg) 2,001.0 Skin corrosion/irritation 2,001.0 Skin corrosion/irritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Corrosivie to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Corrosivity to eyes is assumed. Respiratory sensitisation Corrosivity to eyes is assumed. Kin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Genotoxicity - in vivo REACH dossier information. Negative. Carcinogenicity Gased on available data the classification criteria are not met. Reproductive toxicity- REACH dossier information. No evidence of reproductive toxicity in animal studies. | Notes (oral LD₅₀) | REACH dossier information. |
| Acute toxicity dermal (LD ₂₀) 2,001.0 mg/kg) Rabbit Species Rabbit ATE dermal (mg/kg) 2,001.0 Skin corrosion/irritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Animal data Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Corrosivity to eyes is assumed. Serious eye damage/irritation Corrosivity to eyes is assumed. Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity Genotoxicity - in vivo Garcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity ReACH dossier information. No evidence of reproductive toxicity in animal studies. Reproductive toxicity ReACH dossier information. No evidence of reproductive toxicity in animal studies. | ATE oral (mg/kg) | 8,910.0 |
| mg/kg) mg/kg) Species Rabbit ATE dermal (mg/kg) 2,001.0 Skin corrosion/initation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/initation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/initation Corrosivity to eyes is assumed. Respiratory sensitisation Corrosivity to eyes is assumed. Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation REACH dossier information. Negative. Germ cell mutagenicity Based on available data the classification criteria are not met. Reproductive toxicity- in vivo REACH dossier information. No evidence of reproductive toxicity in animal studies. Reproductive toxicity- fertility REACH dossier information. No evidence of reproductive toxicity in animal studies. | Acute toxicity - dermal | |
| ATE dermal (mg/kg) 2,001.0 Skin corrosion/irritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Corrosivity to eyes is assumed. Serious eye Corrosivity to eyes is assumed. damage/irritation Respiratory sensitisation Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - retritity REACH dossier information. No evidence of reproductive toxicity in animal studies. fertility | | 2,001.0 |
| Skin corrosion/irritation Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Serious eye damage/irritation Serious eye damage/irritation Corrosivity to eyes is assumed. Respiratory sensitisation Corrositising. Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity Genotoxicity - in vivo Gernotoxicity - in vivo REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - in riving REACH dossier information. No evidence of reproductive toxicity in animal studies. | Species | Rabbit |
| Animal data Corrosive to skin. REACH dossier information. Dose: LD50 = 20g/kg bw, 2 days, Rabbit Serious eye damage/irritation Serious eye Serious eye Corrosivity to eyes is assumed. damage/irritation Respiratory sensitisation Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity Genotoxicity - in vivo REACH dossier information. Negative. Carcinogenicity Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - fertility REACH dossier information. No evidence of reproductive toxicity in animal studies. | ATE dermal (mg/kg) | 2,001.0 |
| Rabbit Serious eye damage/irritation Serious eye damage/irritation Corrosivity to eyes is assumed. damage/irritation Respiratory sensitisation Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity Genotoxicity - in vivo Genotoxicity - in vivo REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - fertility REACH dossier information. No evidence of reproductive toxicity in animal studies. | Skin corrosion/irritation | |
| Serious eye damage/irritation Corrosivity to eyes is assumed. Respiratory sensitisation Respiratory sensitisation Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity REACH dossier information. No evidence of reproductive toxicity in animal studies. | Animal data | |
| damage/irritation Respiratory sensitisation Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - forwice REACH dossier information. No evidence of reproductive toxicity in animal studies. | Serious eye damage/irritati | on |
| Respiratory sensitisation Not sensitising. Skin sensitisation Not sensitising. Skin sensitisation Not sensitising. Germ cell mutagenicity REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - fertility REACH dossier information. No evidence of reproductive toxicity in animal studies. | - | Corrosivity to eyes is assumed. |
| Skin sensitisation Not sensitising. Germ cell mutagenicity REACH dossier information. Negative. Carcinogenicity REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity - fertility REACH dossier information. No evidence of reproductive toxicity in animal studies. | Respiratory sensitisation | |
| Skin sensitisation Not sensitising. Germ cell mutagenicity Genotoxicity - in vivo Genotoxicity - in vivo REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity REACH dossier information. No evidence of reproductive toxicity in animal studies. | Respiratory sensitisation | Not sensitising. |
| Germ cell mutagenicity Genotoxicity - in vivo REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity REACH dossier information. No evidence of reproductive toxicity in animal studies. fertility Feroductive toxicity - fertility | Skin sensitisation | |
| Genotoxicity - in vivo REACH dossier information. Negative. Carcinogenicity Based on available data the classification criteria are not met. Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity REACH dossier information. No evidence of reproductive toxicity in animal studies. fertility REACH dossier information. No evidence of reproductive toxicity in animal studies. | Skin sensitisation | Not sensitising. |
| Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity Reproductive toxicity - fertility | Germ cell mutagenicity | |
| Carcinogenicity Based on available data the classification criteria are not met. Reproductive toxicity Reproductive toxicity - fertility Reproductive toxicity - fertility REACH dossier information. No evidence of reproductive toxicity in animal studies. | Genotoxicity - in vivo | REACH dossier information. Negative. |
| Reproductive toxicity Reproductive toxicity - REACH dossier information. No evidence of reproductive toxicity in animal studies. fertility | Carcinogenicity | |
| Reproductive toxicity - REACH dossier information. No evidence of reproductive toxicity in animal studies. fertility | Carcinogenicity | Based on available data the classification criteria are not met. |
| fertility | Reproductive toxicity | |
| SECTION 12: Ecological information | | REACH dossier information. No evidence of reproductive toxicity in animal studies. |
| | SECTION 12: Ecological information | |

| Ecotoxicity | The product contains a substance which is very toxic to aquatic organisms and which may |
|-------------|---|
| | cause long-term adverse effects in the aquatic environment. |

12.1. Toxicity

Toxicity

The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

SODIUM HYPOCHLORITE

| Acute aquatic toxicity | |
|---|--|
| LE(C)₅₀ | 0.01 < L(E)C50 ≤ 0.1 |
| M factor (Acute) | 10 |
| Acute toxicity - fish | EC₅₀, 96 hours: 0.01-0.1 mg/l, |
| Acute toxicity - aquatic invertebrates | EC₅₀, 48 hours: 0.01-0.1 mg/l, Daphnia magna |
| Acute toxicity - microorganisms | LOEC, : 0.375 mg/l, Activated sludge |
| Chronic aquatic toxicity | |
| NOEC | 0.001 < NOEC ≤ 0.01 |
| Degradability | Rapidly degradable |
| M factor (Chronic) | 1 |

12.2. Persistence and degradability

Persistence and degradability The product contains inorganic substances which are not biodegradable. May accumulate in soil and sediment. Substantially removed in biological treatment processes. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

SODIUM HYPOCHLORITE

| Stability (hydroly: | sis) Water - Half-life 10% NaoCL: 220 days @ 25°C - Half-life 5% NaOCL: 790 days @ 25°C REACH dossier information. | |
|---------------------------------|---|--|
| Biodegradation | The methods for determining the biological degradability are not applicable to inorganic substances. | |
| 12.3. Bioaccumulative potential | | |
| Bioaccumulative potential | No data available on bioaccumulation. | |
| Partition coefficient | Not technically possible for a mixture. | |

Ecological information on ingredients.

SODIUM HYPOCHLORITE

| Bioaccumulative potential | Low potential for bioaccumulation. |
|---------------------------|---|
| Partition coefficient | log Kow: -3.4174 REACH dossier information. |

| 12.4. Mobility in soil | | |
|--|---|--|
| Mobility | The product is water-soluble and may spread in water systems. | |
| Ecological information on ingre | dients. | |
| | SODIUM HYPOCHLORITE | |
| Henry's law const | ant 0.076 @ 20°C | |
| 12.5. Results of PBT and vPvB | assessment | |
| Results of PBT and vPvB assessment | This product does not contain any substances classified as PBT or vPvB. | |
| 12.6. Endocrine disrupting properties | | |
| Endocrine disrupting properties | This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605). | |
| Ecological information on ingre | dients. | |
| | SODIUM HYPOCHLORITE | |
| Results of PBT ar assessment | INTERPORT This substance is not classified as PBT or vPvB according to current UK criteria. | |
| 12.6. Other adverse effects | | |
| Other adverse effects | There is evidence that sodium hypochlorite inhibits the aerobic treatment process at a concentration of 0.05 mg/l. | |
| SECTION 13: Disposal conside | erations | |
| 13.1. Waste treatment methods | <u>8</u> | |
| General information | When handling waste, the safety precautions applying to handling of the product should be considered. | |
| Disposal methods | Dispose of waste product or used containers in accordance with local regulations | |
| SECTION 14: Transport inform | ation | |
| General | As supplied, this product is consigned under the Limited Quantities provisions. For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section. | |
| 14.1. UN number | | |
| UN No. (ADR/RID) | 1760 | |
| UN No. (IMDG) | 1760 | |
| UN No. (ICAO) | 1760 | |
| UN No. (ADN) | 1760 | |
| 14.2. UN proper shipping name | | |
| Proper shipping name (ADR/RID) | CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, C12-14-ALKYL ETHER SULFATES) | |
| Proper shipping name (IMDG) | CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, C12-14-ALKYL ETHER SULFATES) | |

| Proper shipping name (ICAO) | CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, C12-14-ALKYL |
|-----------------------------|--|
| | ETHER SULFATES) |

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (CONTAINS SODIUM HYPOCHLORITE, C12-14-ALKYL ETHER SULFATES)

14.3. Transport hazard class(es)

| ADR/RID class | 8 |
|-----------------------------|----|
| ADR/RID classification code | C9 |
| ADR/RID label | 8 |
| IMDG class | 8 |
| ICAO class/division | 8 |
| ADN class | 8 |
| | |

Transport labels



| 14.4. Packing group | |
|-----------------------|-----|
| ADR/RID packing group | III |
| IMDG packing group | ш |
| ICAO packing group | III |
| ADN packing group | III |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

| EmS | F-A, S-B | |
|--|----------|--|
| ADR transport category | 3 | |
| Emergency Action Code | 2X | |
| Hazard Identification Number (ADR/RID) | 80 | |
| Tunnel restriction code | (E) | |
| 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code | | |

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| National regulations | The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). EH40/2005 Workplace exposure limits. Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended). The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). |
|----------------------|--|
| EU legislation | European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended) European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended) European Regulation (EC) No 648/2004 on detergents (as amended) European Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products (BPR) as amended Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006. |
| Guidance | COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. Workplace Exposure Limits EH40. |

15.2. Chemical safety assessment

A chemical safety assessment has been carried out. Sodium hypochlorite. and Sodium hydroxide.

SECTION 16: Other information

| Abbreviations and acronyms used in the safety data sheet | PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. PNEC: Predicted No Effect Concentration. DNEL: Derived No Effect Level. |
|--|---|
| Revision comments | NOTE: Lines within the margin indicate significant changes from the previous revision. Review with no changes to classification |
| Revision date | 02/03/2023 |
| Revision | 5 |

| Supersedes date | 23/11/2021 |
|---------------------------|--|
| Hazard statements in full | H272 May intensify fire; oxidiser. H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.