

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Revision date: 01/08/2023 Version: 10.62

Generated : 01/08/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Trade name	: STAINLESS STEEL CLEANER (NSF)
UFI	: PPU3-A0FN-K00Q-TH0C
Product code	: K042A
Type of product	: Aerosol
Vaporizer	: Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture

- : Professional use
- : For professional use only
- : Stainless-steel polish, metal polish

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### SELDEN RESEARCH LIMITED

STADEN LANE BUXTON DERBYSHIRE SK17 9RZ UNITED KINGDOM

Tel: 01298 26226 Email: safety@selden.co.uk

## SELDEN EUROPE B.V. WATERMOLEN 13

6229 PM MAASTRICHT NEDERLAND

Tel: +31 (0) 43 363 42 89 Email: sds@selden.eu

#### **1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Full text of H- and EUH-statements: see section 16 H222;H229 H411

## Adverse physicochemical, human health and environmental effects

No additional information available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	<ul> <li>H222 - Extremely flammable aerosol.</li> <li>H229 - Pressurised container: May burst if heated.</li> <li>H411 - Toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 - Do not spray on an open flame or other ignition source.</li> <li>P251 - Do not pierce or burn, even after use.</li> <li>P391 - Collect spillage.</li> </ul>
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-12, isoalkanes, <2% aromatics	CAS-No.: 90622-57-4 EC-No.: 923-037-2 REACH-no: 01-2119471991- 29	30 – 60	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
White mineral oil	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH-no: 01-2119487078- 27	30 – 60	Asp. Tox. 1, H304
butane substance with national workplace exposure limit(s) (IE, GB)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691- 32	5 – 10	Flam. Gas 1A, H220 Press. Gas
propane substance with national workplace exposure limit(s) (IE)	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	5 – 10	Flam. Gas 1A, H220

K042A

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydro- treated light; Kerosine— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approxi mately 150 °C to 290 °C (302 °F to 554 °F).]	CAS-No.: 64742-47-8 EC-No.: 265-149-8 EC Index-No.: 649-422-00-2	1 – 5	Asp. Tox. 1, H304
isobutane substance with national workplace exposure limit(s) (IE)	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395- 27	1 – 5	Flam. Gas 1A, H220 Press. Gas

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: High concentration of vapours may induce: headache, nausea, dizziness.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes eve irritation.
Symptoms/effects after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measure	S	
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard	<ul><li>Extremely flammable aerosol.</li><li>Explosion risk in case of fire.</li></ul>	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Remove ignition sources.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
For containment	: Collect spillage.		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.		
6.4. Reference to other sections			

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Do not pierce or burn, even after use.</li> <li>Do not spray on an open flame or other ignition source.</li> <li>Do not eat, drink or smoke when using this product.</li> </ul>
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures Storage conditions	<ul> <li>Does not require any specific or particular technical measures.</li> <li>Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> </ul>
Incompatible products Incompatible materials Special rules on packaging	<ul> <li>Oxidizing agent. Strong acids. Strong bases.</li> <li>Direct sunlight. Heat sources. Sources of ignition.</li> <li>Keep only in original container.</li> </ul>
7.3. Specific end use(s)	

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

butane (106-97-8)		
Ireland - Occupational Exposure Limits		
Local name	Butane	
OEL TWA [2] 1000 ppm		
OEL STEL [ppm] 1000 ppm		
Regulatory reference Chemical Agents Code of Practice 2020		
United Kingdom - Occupational Exposure Limits		
Local name	Butane	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

butane (106-97-8)		
WEL TWA (OEL TWA) [1]	1450 mg/m <sup>3</sup>	
WEL TWA (OEL TWA) [2]	600 ppm	
WEL STEL (OEL STEL)	1810 mg/m <sup>3</sup>	
WEL STEL (OEL STEL) [ppm]	750 ppm	
Remark	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
propane (74-98-6)		
Ireland - Occupational Exposure Limits		
Local name	Propane	
OEL TWA [2]	1000 ppm	
Remark	Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)	
Regulatory reference	Chemical Agents Code of Practice 2020	
isobutane (75-28-5)		
Ireland - Occupational Exposure Limits		
Local name	Butane, all isomers: Isobutane	
OEL STEL [ppm]	1000 ppm	
Regulatory reference	Chemical Agents Code of Practice 2020	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Not required for normal conditions of use.

#### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Not required for normal conditions of use

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Not required for normal conditions of use

## Hand protection:

In case of repeated or prolonged contact wear gloves. Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Nitrile rubber gloves

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Other skin protection

#### Materials for protective clothing:

Not required for normal conditions of use

#### 8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

# 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Aerosol.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not applicable
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Immiscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.74
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients

: 61.03343444

## 9.2.2. Other safety characteristics

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ECTION 10: Stability and reactivity
0.1. Reactivity
essurised container: May burst if heated.
0.2. Chemical stability
able under normal conditions.
0.3. Possibility of hazardous reactions
adangerous reactions known under normal conditions of use.
0.4. Conditions to avoid
rect sunlight. Heat. Open flame.
0.5. Incompatible materials
one under normal use.
0.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes	s as defined in Regulation (EC) No 1272/2008	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Vaporizer	Aerosol	
11.2. Information on other hazards		

No additional information available

# SECTION 12: Ecological information

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term	: Not classified
(acute) Hazardous to the aquatic environment, long–term	: Toxic to aquatic life with long lasting effects.
(chronic)	

# 12.2. Persistence and degradability

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste) Waste treatment methods Product/Packaging disposal recommendations European List of Waste (LoW) code	<ul> <li>Dispose of in accordance with relevant local regulations.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Do not pierce or burn, even after use.</li> <li>16 05 04* - gases in pressure containers (including halons) containing dangerous substances</li> </ul>	

# SECTION 14: Transport information In accordance with ADR / IMDG / IATA 14.1. UN number or ID number UN-No. (ADR) : UN 1950

UN-No. (ADR)	: UN 1950
UN-No. (IMDG)	: UN 1950
UN-No. (IATA)	: UN 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1

14.3. Transport hazard class(es)

# ADR

Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1

# IMDG

Transport hazard class(es) (IMDG)	:	2.1
Danger labels (IMDG)	:	2.1

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ΙΑΤΑ	•
Transport hazard class(es) (IATA)	: 2.1
Danger labels (IATA)	: 2.1
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: Yes (Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.)
Marine pollutant	: Yes (IMDG 5.2.1.6.1 derogation applies (quantity of liquids $\leq$ 5 litres or net mass of solids $\leq$
Other information	5 kg)) : No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	
Excepted quantities (ADR) Packing instructions (ADR)	: E0 : P207, LP200
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire) EmS-No. (Spillage)	: F-D : S-U
Stowage category (IMDG)	: None
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
Document generated @ 01/08/2023 09:38:29	Page 9 of 11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
14.7. Maritime transport in bulk acco	ording to IMO instruments

IBC code

: Not applicable.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

 Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

 Other information, restriction and prohibition
 : Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

 December 2008 and all its amendments and modifications. Regulation (EC) No 1907/2006
 of the European Parliament and of the Council of 18 December 2006 and all its amendments and modifications. Aerosol Directive (75/324/EEC).

#### 15.1.2. National regulations

No additional information available

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Aerosol Directive (75/324/EEC).

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	spiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 3	Flammable liquids, Category 3	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H304	May be fatal if swallowed and enters airways.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas	ss. Gas Gases under pressure	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aerosol 1	H222;H229	On basis of test data
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.