SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



SAFETY DATA SHEET CRUSADER COLOURSAFE OXY POWDER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CRUSADER COLOURSAFE OXY POWDER

Product number C046 EV

Internal identification Professional Hygiene

UFI: XQWN-Q012-500D-83XF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Powdered Bleaching agent for Laundry industry

1.3. Details of the supplier of the safety data sheet

Supplier UK Supplier: EU Supplier:

Evans Vanodine International plc, Evans Vanodine Europe (FR), Brierley Road, 3 Boulevard de Belfort, 1st Floor,

Walton Summit, Lille, 59000, France.
Preston, PR5 8AH, UK. Tel: +33 (0)3 76 04 21 87.

Tel: 01772 322 200.

e-mail: productcompliance@evansvanodine.co.uk

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 01772 322 200 - Mon to Thurs 8.30am to 4.30pm

- Fri 8.30am to 1.30pm (Also available 24/7 from our website $\underline{www.evansvanodine.co.uk})$ For Technical Advice about this SDS - 01772 318 818 - Mon to Thurs 8.00am to 5.30pm

National emergency For Health Care Professionals only

Telephone number For use in UK: Contact the National Poisons Information Service for further advice.

For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day). For

use in Malta: Emergency services (Ambulance, Fire and Rescue, Police): 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards Ox. Sol. 3 - H272

Health hazards Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elementsHazard pictograms







CRUSADER COLOURSAFE OXY POWDER

Signal word Danger

Hazard statements H272 May intensify fire; oxidiser.

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P102 Keep out of reach of children.

P261 Avoid breathing dust.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P270 Do not eat, drink or smoke when using this product.

P220 Keep away from combustible materials.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/ attention.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/ container in accordance with local regulations.

Contains SODIUM PERCARBONATE PEROXYHYDRATE & DISODIUM METASILICATE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM PERCARBONATE PEROXYHYDRATE 60-100%

CAS number: 15630-89-4

Classification
Ox. Sol. 2 - H272
Acute Tox. 4 - H302
Eye Dam. 1 - H318

DISODIUM METASILICATE 3-5%

CAS number: 6834-92-0 EC number: 229-912-9

Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

The Full Text for all Hazard Statements are Displayed in Section 16.

CRUSADER COLOURSAFE OXY POWDER

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get

medical attention immediately.

Skin contact Wash with plenty of water. Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and

the length of exposure.

Inhalation Irritation of nose, throat and airway.

Ingestion May cause discomfort if swallowed.

Skin contact Skin irritation. Prolonged skin contact may cause redness and irritation.

Eye contact Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue

damage.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Oxidising - Supports combustion. Extinguish with the following media: Water spray. Foam,

carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours. May intensify fire; oxidiser.

5.3. Advice for firefighters

Special protective equipment

for firefighters

Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of dust. Wear protective clothing, gloves, eye and face protection. For

personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb

spillage with sand, earth or other non-combustible material. Collect and place in suitable

waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

CRUSADER COLOURSAFE OXY POWDER

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection. Avoid inhalation of dust. Never add

water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by

carefully pouring the product into water.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from flammable and combustible materials. Store in tightly-closed, original

container in a dry, cool and well-ventilated place. Store away from the following materials:

Acids.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments

No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Use mechanical ventilation if there is a risk of handling causing formation of airborne dust.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

Hand protection Wear protective gloves. (Household rubber gloves.)

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Granules. Powder.
Colour White/off-white.

Odour Odourless.

pH pH (diluted solution): 10.00-11.00 @1%

Melting point Not applicable.

Initial boiling point and range Not applicable.

Flash point Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not applicable.

CRUSADER COLOURSAFE OXY POWDER

Vapour density Not applicable.
Relative density Not applicable.
Solubility(ies) Soluble in water.

Partition coefficient Not applicable.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity Not applicable.

Oxidising properties May intensify fire; oxidiser.

9.2. Other information

Other information None.

Particle size Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Strong acids. Flammable/combustible

materials. Oxidising agents. Reducing agents. May intensify fire; oxidiser. The product will

harden into a solid mass in contact with water and moisture.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

See sections 10.1,10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid The product will harden into a solid mass in contact with water and moisture.

10.5. Incompatible materials

Materials to avoid Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition

on

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are

from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Acute toxicity - oral

Notes (oral LD₅₀) Classification criteria has been met – Product is classified as Harmful if Swallowed.

ATE oral (mg/kg) 1,292.5

Acute toxicity - dermal

Summary Not applicable.

Acute toxicity - inhalation

Summary Not applicable.

CRUSADER COLOURSAFE OXY POWDER

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Summary Not applicable.

Skin sensitisation

Summary Not applicable.

Germ cell mutagenicity

Summary Not applicable.

Carcinogenicity

Summary Not applicable.

Reproductive toxicity

Summary Not applicable.

<u>Specific target organ toxicity - single exposure</u>

Summary Not applicable.

<u>Specific target organ toxicity - repeated exposure</u>

Summary Not applicable.

Aspiration hazard

Summary Not applicable.

11.2. Information on other Hazards None known.11.2.1. Endocrine disrupting properties None known.

SECTION 12: Ecological information

Ecotoxicity Potentially hazardous due to the alkalinity of the product.

12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data

specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability The product is not expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Endocrine disrupting None

properties

None known.

12.7. Other adverse effects

Other adverse effects None known.

CRUSADER COLOURSAFE OXY POWDER

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product

may be flushed with water to sewer. Larger volumes must be sent for disposal as special

waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3085 UN No. (IMDG) 3085 UN No. (ICAO) 3085

14.2. UN proper shipping name

Proper shipping name (ADR/RID) OXIDIZING SOLID, CORROSIVE, N.O.S. (sodium carbonate peroxyhydrate and

Disodium trioxosilicate)

Proper shipping name (IMDG) OXIDIZING SOLID, CORROSIVE, N.O.S. (sodium carbonate peroxyhydrate and

disodium trioxosilicate)

Proper shipping name (ICAO) OXIDIZING SOLID, CORROSIVE, N.O.S. (sodium carbonate peroxyhydrate and

disodium trioxosilicate)

14.3. Transport hazard class(es)

ADR/RID class Division 5.1: Oxidizing substances.

ADR/RID subsidiary risk Class 8 : Corrosive Substances.

ADR/RID label 5.1 & 8

IMDG class Division 5.1: Oxidizing substances.

IMDG subsidiary risk Class 8 : Corrosive Substances.

ICAO class/division Division 5.1: Oxidizing substances.

ICAO subsidiary risk Class 8 : Corrosive Substances.

Transport labels





14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS F-A, S-Q

Tunnel restriction code (E)

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code

Not relevant for a packaged product.

CRUSADER COLOURSAFE OXY POWDER

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation

Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

IMDG: International Maritime Dangerous Goods.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

GHS: Globally Harmonized System.

Classification abbreviations

and acronyms

Acute Tox. = Acute toxicity

Eye Dam. = Serious eye damage

Ox. Sol. = Oxidising solid Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation

STOT SE = Specific target organ toxicity-single exposure

Key literature references and

sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory

database.

Classification procedures Calculation Method.

Revision comments New Evans Logo & EU Address - No change in Product Classification.

(Changes made to sections 1+16)

Revision date 01/10/2024

Revision 14

CRUSADER COLOURSAFE OXY POWDER

The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

Hazard statements in full

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.